

HA 194T55

USSR/Chemistry - Dyestuffs
Naphthothiazole Derivatives
Nov 51

Synthesis of 2-Alkyl- α -Naphthothiazoles. II,"
V. M. Zubarovskiy, S. N. Fidel', Student, Inst of
Org Chem, Acad Sci USSR

"Zhur Obshcha Khim" Vol XXI, No 11, pp 2064-2068

Synthesized 8 new homologues of 2-alkyl- α -
naphthothiazole series containing alkyl radicals: iso-
propyl, isobutyl, butyl, amyl, hexyl, heptyl,
octyl, and undecyl. Studied their properties,
prepd number of their salts. From their

194T55

USSR/Chemistry - Dyestuffs (Contd) Nov 51

quaternary salts and p-dimethylaminobenzaldehyde
prepd 2 styryl dyestuffs and studied their light
absorption properties.

194T55

Generalizing & Sensitizing

Cheng 48
(2)

1329
Condensation of α -Aminobenzophenone with α -Hydroxy Acids. Alcohols and Ketones
of the Benzothiazole Series. Y. M. ZUBAROVSKI and M. D. RIKELMAN. J. Gen.
Chem. U.S.S.R., 1951, 21, 2199-2205 and 2205-2210. In the reaction
previously described (Phot. Abs., 1953, No. 1328) for the preparation of
2-hydroxymethylbenzothiazole, glycollic acid is replaced by other hydroxy acids.
Monobasic acids, e.g., lactic and mandelic, give analogous products: seven
of these and their corresponding ketones are described. Malic and tartaric
acids give mixtures in which the hydroxy compound is a minor constituent.
J. Soc. Dyers and Col.

1/18/54
BW

Aldehydes, Nitration

Nitration of *o*-thiophene aldehyde Dokl. AN SSSR 83 no. 1, March 1952

SO: Monthly List of Russian Accessions, Library of Congress, August ²195~~2~~, Uncl.

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065520010-0
APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065520010-0

ZUBAROVSKIY, Y.M.

Synthesis of thiazole derivatives. Part 9. Method for the condensation of *O*-aminothiophenol with acids. Ukr.khim.zhur.19 no.4: 413-417 '53.
(MIRA 8:2)

1. Institut organicheskoy khimii Akademii nauk USSR.
(Benzenethiol) (Acids, Organic)

CATALY

Condensation of 2-mercaptobenzothiazole with hydroxyacetic acid
orally active

2-mercaptobenzothiazole (I) (1.0 g, 4.5 mmol) was dissolved in 10 ml of water and 10 ml of 10% aqueous sodium hydroxide solution. Hydroxyacetic acid (0.5 g, 9.0 mmol) was added and the mixture was stirred at room temperature for 24 hours. The mixture was then poured into 100 ml of water and extracted with 10 ml of ether. The ether extract was dried over anhydrous sodium sulfate and evaporated to give a solid residue. Recrystallization from 10 ml of water gave 0.5 g of white crystals, mp 180°. The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 0.7 g (14%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 0.9 g (18%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 1.1 g (22%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 1.3 g (28%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 1.5 g (32%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 1.7 g (36%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 1.9 g (40%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 2.1 g (44%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 2.3 g (48%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 2.5 g (52%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 2.7 g (56%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 2.9 g (60%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 3.1 g (64%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 3.3 g (68%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 3.5 g (72%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 3.7 g (76%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 3.9 g (80%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 4.1 g (84%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 4.3 g (88%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 4.5 g (92%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 4.7 g (96%).
The mother liquor was evaporated and the residue was recrystallized from 10 ml of water to give an additional 0.2 g of crystals, mp 180°. Total yield 4.9 g (100%).

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065520010-0
APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065520010-0

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065520010-0
APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065520010-0

APPROVED FOR RELEASE: Thursday, September 26, 2002
APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R002065520010-0
CIA-RDP86-00513R002065520010-0"

5-11-82
5-11-82
7-11-82

"APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065520010-0
APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065520010-0"

5-11-82
5-11-82
7-11-82

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
220

Synthesis of thiazole derivatives. Part 12: Benzothiazole²thodanines.
Zhur. ob. khim. 27 no.8:2177-2183 Ag '57. (MLRA 10:9)

1. Institut organicheskoy khimii Akademii nauk Ukrainskoy SSR.
(Thiazole) (thodanino)

5(3)

AUTHOR:

Zubarovskiy, V. M.

307/79-29-6-54/72

TITLE:

Synthesis of Thiazole Derivatives (Sintez proizvodnykh tiazola).
XIII. Benzothiazolythiazoles (XIII. Benztiazoliltiazoly)

PERIODICAL:

Zhurnal obshchey khimii, 1959, Vol 29, Nr 6, pp 2018-2027 (USSR)

ABSTRACT:

The [benzothiazolyl-(2)]-methyl ketone which was already earlier synthesized by the author (Ref 1), may serve as initial product for the synthesis of 2-methyl-benzothiazolylthiazoles, which were not yet described up to present and which are important for the synthesis of polymethene dyestuffs. In the present paper the bromination of the mentioned ketone and the ketone (I) obtained from it, was used for the synthesis of benzothiazolylthiazoles (II) and (VII). It was found that bromination of [benzothiazolyl-(2)]-methyl ketone in glacial acetic acid medium at 85-90° is easy, but it is very slow at low temperature. At the mol relation 2:1 of ketone and bromine, one half of the used ketone changes into (I), while the other half separates as bromide. By hydrolysis about 30% of used ketone can be reclaimed. The crude product (I) must be separated from the admixed initial ketone only by multiple recrystallization. The pure bromine ketone (I) melts at 91.5°. It was subjected to conversions described in scheme 1, which led to

Card 1/2

Synthesis of Thiazole Derivatives. XIII. Benzothiazolylthiazoles SOV/79-29-6-54/72

the isomeric benzothiazolylthiazoles (II) and (VII). The weak base (II) does not even react with excess methyl iodide in a hermetically sealed tube at 150° contrary to (VII), which forms quantitatively iodine ethylate (VII; $X=I$) under the same conditions. When ethyl-n-toluene sulphonate is used both bases are converted into quaternary salts (III; $X=n-CH_3C_6H_4SO_3$) and (VIII; $X=n-CH_3C_6H_4SO_3$).

From the quaternary salts of the above mentioned benzothiazolylthiazoles polymethene dyestuffs of various kind were synthesized such as: "styryle" (IX) and (X), asymmetric thiazolethiacyanines (XI) and (XII), symmetric thiazolecarbocyanines (XIII) and (XIV), and finally rhodacyanines (XV) and (XVI). The absorption maxima of all dyestuffs were determined in a solution of ethyl alcohol in order to be able to compare their degree of coloring. There are 5 references, 3 of which are Soviet.

ASSOCIATION: Institut organicheskoy khimii Akademii nauk Ukrainiskoy SSR
(Institute for Organic Chemistry of the Academy of Sciences of the Ukrainiskaya SSR)

SUBMITTED: April 21, 1958
Card 2/2

S/079/60/030/04/43/080
B001/B002

AUTHORS: Zubarovskiy, V. M., Khodot, G. P.

TITLE: Synthesis of Thiazole Derivatives. XIV. New Alcohols of the Benzthiazole Series and Their Conversions

PERIODICAL: Zhurnal obshchey khimii, 1960, Vol. 30, No. 4, pp. 1245-1250


TEXT: Among 2-methylbenzthiazole derivatives, 2-methyl-5-hydroxymethyl-(I) and 2-methyl-6-hydroxymethylbenzthiazole (II) were hitherto unknown. The esters of 2-methylbenzthiazole-5- and 2-methylbenzthiazole-6-carboxylic acid were the initial products used for the synthesis of these two alcohols. The methyl ester of the former acid was obtained from the methylester of 3-nitro-4-chlorobenzoic acid, according to the method described in Ref. 1, ✓ the ethyl ester of the second acid was obtained from acid chloride and alcohol. The conversion of the esters into carbinols (I) and (II) was carried out by their reduction with almolithiumhydride in the range of -40° to -45° , since 2-methylbenzthiazole above 0° (as expected) reacts with the ether solution of almolithiumhydride in the 1-double bond. Carbinols (I) and (II) may be separated from the admixture of the initial ester by

Card 1/3

Synthesis of Thiazole Derivatives. XIV. New
Alcohols of the Benzthiazole Series and Their
Conversions

S/079/60/Q30/04/43/080
B001/B002

treatment with an alcoholic solution of caustic potash. The potassium salts of benzthiazole carboxylic acid thus developing, are easily separable. The synthesis of the isomeric carbinols (I) and (II) opened the way toward the synthesis of a series of 2-methylbenzthiazole derivatives with substituents in positions 5 and 6: chloromethyl-, cyanomethyl-, carboxymethyl-, diethylaminomethyl-, methoxymethyl- and acylmethyl-substituted compounds: ✓



(I and II) $R = OH$, (III and IV) $R = Cl$, (V and VI) $R = CN$, (VII and VIII) $R = COOH$, (IX and X) $R = CH_2COO$, (XI) $R = C_6H_5COO$, (XII) $R = N(C_2H_5)_2$, (XIII and XIV) $R = CH_3O$. The bases (XII - XIV) are liquids, the others are colorless, crystalline products. Under usual conditions, the new bases develop quaternary salts which may be used for the synthesis of

S/079/60/030/05/38/074
B005/B016

AUTHORS: Zubarovskiy, V. M., Khodot, G. P.

TITLE: Synthesis of Thiazole¹ Derivatives. XV. Benzothiazolyl
Pyrazolones

PERIODICAL: Zhurnal obshchey khimii, 1960, Vol. 30, No. 5, pp. 1585-1590

TEXT: The authors of the present paper synthesized 3 novel benzothiazolyl pyrazolones from 2-methyl-(benzothiazolyl-6)-hydrazine (I), 2-methyl-(benzothiazolyl-5)-hydrazine (II), and 2-methyl-mercapto-(benzothiazolyl-6)-hydrazine (III). The synthesis of these 3 initial substances was published recently (Ref.). The compounds (I) and (II) are unstable, and were, therefore, stored in the form of their hydrochlorides. Only immediately before carrying out the synthesis, the bases were set free from these salts. Compound (III) may be stored for some time in the form of the base. To prepare the benzothiazolyl pyrazolones, the compounds (I), (II), and (III) were condensed with acetoacetic ester. The mixture of the substituted benzothiazolyl hydrazine with acetoacetic ester was heated to 130-135° in order to remove completely water and alcohol which are formed on condensa-

Card 1/3

Synthesis of Thiazole Derivatives.
XV. Benzothiazolyl Pyrazolones

S/079/60/030/05/38/074
B005/B016

tion. If the condensation is made in the cold, the benzothiazolyl hydrazone of acetoacetic ester is formed which splits off alcohol when heated to the melting point, and is converted to the corresponding pyrazolone derivative. In this condensation, the benzothiazolyl pyrazolones result in 80-90% yield. Their structural formulas are given. They can easily be purified by precipitation from the alkaline solution. The benzothiazolyl pyrazolones synthesized are colorless crystalline substances of amphoteric character. Their aqueous-alcoholic solutions turn brown-red when adding ferric chloride. This color soon disappears again. The active methylene group of the pyrazolone ring makes the 3 resultant benzothiazolyl pyrazolones capable of different condensation reactions. The authors performed condensations with aldehydes, p-nitroso-dimethyl aniline, diphenyl formamidine, and the iodo ethylate of 2-(ω -acetanilido-vinyl)-benzothiazole. On condensation with the latter compound in pyridine, dimethine merocyanines are formed, the structural formulas of which are given. In addition to these dyes, the same well-known symmetrical cyanine dye bis-(3-ethyl-benzothiazole-2)-trimethine-cyanine iodide results on condensation in all three cases. Besides, yellow substances of unexplained structure are obtained. The merocyanines can easily be

Synthesis of Thiazole Derivatives.
XV. Benzothiazolyl Pyrazolones

S/079/60/030/05/38/074
B005/B016

purified of these impurities by means of chromatography. The yellow by-
products are probably formed in connection with the conversion of the
iodo ethylate of 2-(ω -acetanilido-vinyl)-benzothiazole to the symmetrical
thiacarbocyanine which occurs as a side reaction. A presumable structural
formula for one of these yellow products is given. The resultant mero-
cyanines are decolorized by hydrochloric acid. When heated with dimethyl
sulfate, they form salts which contain an active methyl group and may be
applied to the preparation of polymethine dyes. In an experimental part,
all procedures performed are described in detail. All resultant products
are characterized by melting point and nitrogen content. There is 1
Soviet reference.

ASSOCIATION: Institut organicheskoy khimii Akademii nauk Ukrainskoy SSR
(Institute of Organic Chemistry of the Academy of Sciences,
Ukrainskaya SSR)

SUBMITTED: April 20, 1959

ZUBAROVSKIY, V.M.; MOSKALEVA, R.N.; BACHURINA, M.P.

Benzoxazolybenzimidazoles and cyanine dyes obtained from them.
Ukr. khim. zhur. 30 no.1180-82 '64. (MIRA 17:6)

1. Institut organicheskoy khimii AN UkrSSR.

ZUBAROVSKIY, V.M.; KHODOT, G.P.

Synthesis of thiazole derivatives. Part 22: Organomagnesium
synthesis involving aldehydes and ketones of the benzothiazole
and benzimidazole series. Zhur. org. khim. 1 no. 12:2232-2236
D '65 (MIRA 19:1)

1. Institut organicheskoy khimii AN UkrSSR. Submitted July 29,
1964.

ZUBAROVSKIY, V.M.; BACHURINA, M.P.

Synthesis of thiazole derivatives. Part 20: 6-(β -hydroxyethyl)-
2-methylbenzothiazole. Zhur. ob. khim. 34 no.11:3797-3800 N '64
(MIRA 18:1)

1. Institut organicheskoy khimii AN UkrSSR.

ZUBAROVSKIY, V.M.; KHODOT, G.P.

Synthesis of thiazole derivatives. Part 21: Formyl derivatives
of 2-methylbenzothiazole. Zhur. ob. khim. 34 no.11:3801-3806
N '64 (MIRA 18:1)

1. Institut organicheskoy khimii AN UkrSSR.

ZUBAROVSKIY, V.M.; MOSKALEVA, R.N.; BACHURINA, M.P.

Synthesis of thiazole derivatives. Part 19: Benzothiazolyl-
benzimidazoles. Zhur.ob.khim. 32 no.5:1581-1586 My '62.
(MIRA 15:5)

1. Institut organicheskoy khimii AN Ukrainskoy SSR.
(Benzimidazole) (Benzothiazole)

ZUBAROVSKIY, V.M.; KHODOT, G.P.

Synthesis of thiazole derivatives. Part 18: New ketones of
the benzothiazole series and their transformations. Zhur.ob.khim.
32 no.5:1574-1581 My '62. (MIRA 15:5)

1. Institut organicheskoy khimii AN Ukrainskoy SSR.
(Benzothiazole) (Ketones)

ZUBAROVSKIY, V.M.; MOSKALEVA, R.N.; Prinimala uchastiye BACHURINA, M.P.

Synthesis of thiazole derivatives. Part 17: Hydroxymethyl-substituted 2-methylthiazoles. Zhur.ob.khim. 32 no.2:570-575 F '62.
(MIRA 15:2)

1. Institut organicheskoy khimii AN Ukrainskoy SSR.
(Thiazole)

ZUBAROVSKIY, V.M.; VERBOVSKAYA, T.M.; KIPRIANOV, A.I.

Synthesis of derivatives of thiazole. Part 16: New hydroxyalkyl-
2-methylbenzothiazoles. Zhur.ob.khim. 31 no.9:3056-3062 S '61.
(MIRA 14:9)

1. Institut organicheskoy khimii AN Ukrainskoy SSR.
(Thiazole)

BOBOKHIDZE, O.; ARTAMONOV, L.; ORLOV, A.; ZDYBSKIY, I.; KOVALEV, I.;
ZUBARSKIY, N.; FRIDMAN, M.

Letters to the editor. Sov.profssoiuzy 7 no.23:54-56
D '59. (MIRA 12:12)

1. Instruktor sovprofu Gruzii (for Bobokidze). 2. Sotrudnik
gazety "Trudovoy front" (for Artamonov). 3. Zamestitel'
predsedatelya fabrichno-zavodskogo komiteta Ivanovskogo
melanzhevogo kombinata (for Orlov). 4. Zamestitel' predsedatelya
mestnogo komiteta basy Tyrny-Ausskogo kombinata Kabardino-
Balkarskoy ASSR (for Zdybskiy).
(Trade unions) (Efficiency, Industrial)

YELISEYEVA, V.I.; METELKIN, A.I.; ZUBARYAN, K.M.

Method of reinforcing natural and artificial leather; Soviet
Certificate of Inventions No.145298. Kozh.-obuv.prom. 4
no.8:43 Ag '62. (MIRA 15:8)
(Leather industry--Technological innovations)

ZUBASHCHENKO, M.A.

Karst of Northern Vietnam. Izv.Vor.otd.Geog.ob-va no.3:159-
166 '61. (MIRA 15:11)
(Vietnam, North--Karst)

ZUBASHCHENKO, M. A.

Principles of the geomorphological regionalization of North Vietnam.
Nauch. zap. Ver. otd. Geog. ob-va; 45-151 1963.

(MIRA 17:9)

KUZNETSOV, N.D.; ZUBASHENKO, A.Ye.

Improving the designs of semiautomatic plate-making machines. Stek.
1 ker. 17 no.3:34-36 Mr '60. (MIRA 13:6)
(Pottery)

ZUBASHENKO, O.IE.

Semiautomatic apparatus for applying colored patterns on porcelain and faience articles. Leb.prom. no.3:5-8 Je - Ag '62. (MIRA 16:2)

1. Budyanskiy fayansovyy zavod.
(China painting)

2.

The effect of bound water on the contact angle of wetting of colloidal films. *U. A. Zakharenko, N. A. Rabat, S. A. Vozvash, G. A. Gorodars, Ussr, 1959, Pt. 1, 79-87. Khim. Pribor. Zhur. 1959, No. 11, 12.*—The wettability of gelatin, acetylcellulose and starch films and the effect of glucose, urea, NaCl and EtOH (added to the disp. phase as well as to the colloidal soln.) on the contact angle were investigated. The contact angle was measured according to the method of Belcher. The hydrophilic properties of gelatin increased from addns. of glucose and urea owing, evidently, to the adsorption of these substances. Glucose and NaCl had no effect on the magnitude of the wettability of acetylcellulose. EtOH increased slightly its hydrophilic properties. The wettability of starch did not change from addns. of NaCl. A coadsorbable static and kinetic hysteresis of wetting was observed in the gelatin and acetylcellulose films. Only the strongly bound solvent layers had an effect on the contact angle of wetting of the films investigated. W. R. Henn

W. R. Hanna

ASB:SLA METALLURGICAL LITERATURE CLASSIFICATION

[illegible][illegible]

ZUBASHCHENKO, M. A.

CIA-RDP86-00513R002065520010-0"

Zubashchenko, M. A. - "Toward a history of research on the karst of the Eastern European plain," *Izvestiya Voronezhsk. gos. ped. in-ta*, Vol. X, Issue 2, 1948, P. 89-110 — Bibliog: 57 items

So: U-3566, 15 March 53, (Letopis 'Zhurnal 'nykh Statey, No. 13, 1949)

SOURCE CODE: UR/0032/66/032/001/0012/0014

ACC NR: AF6019015

(N)

AUTHOR: Yurchenko, Ye. I.; Savvin, S. B.; Zubashova, L. V.; Garan', V. F.; Mishinskaya, I.S.

ORG: Scientific-Research and Planning-Technological Institute for Machine Construction (Nauchno-issledovatel'skiy i proyektno-tekhnologicheskii institut mashinostroyeniya)

TITLE: Photometric determination of niobium in alloy steels by nitrosulfophenol S

SOURCE: Zavodskaya laboratoriya, v. 32, no. 1, 1966, 12-14

TOPIC TAGS: niobium containing alloy, alloy steel, colorimetric analysis, spectrophotometric analysis

ABSTRACT: A method was developed for the photometric determination of 0.01-2% Nb in alloy steels without the separation of Fe and the alloy elements. It is based on the reaction of Nb with nitrosulfophenol S in 3 N HCl solution. A sample of the steel (0.5 g with an expected content of 0.01-0.05% Nb and 0.25 g with an expected content of 0.05-2% Nb) is dissolved in 40 ml H_2SO_4 (1:4) in a 100 ml capacity glass; 1-1.5 ml H_3PO_4 (1.70) is added; the solution is oxidized by adding drops of HNO_3 and steamed until SO_3 vapors appear. The walls of the glass are washed with H_2O and the mixture is heated again until SO_3 vapors reappear. After cooling, 15 ml of 20% tartaric acid

UDC: 543.7

Card 1/2

ACC NR: AP6019015

solution and some water are added. The solution is heated until the salts are dissolved, then it is cooled and transferred into a 100 ml measuring flask, and brought to the mark by the addition of distilled water. For the photometric determination, 4 ml of solution (with 0.01-0.10% Nb), 2 ml of solution (with 0.1-0.9% Nb) or 1 ml of solution (with 0.9-1.8% Nb) is placed in a 50 ml measuring flask; 24 ml of HCl (1:1), 15 ml of H₂O, and 1 ml of 0.1% solution of nitrosulfophenol S are added. The solution is heated for 5 min. at 65-70°C, cooled, and brought to the mark by the addition of distilled H₂O. The light absorption is then measured with an SF-4 spectrophotometer in a layer 10 mm thick on the wavelength of 640 mμ or with an FEK-M photocolormeter in a layer 30 mm thick with a red light filter. The measuring is carried out with respect to the solution of an alloyed steel having about the same composition but no Nb. The nitrosulfophenol S is added to this solution. The time required for photometric determination is 2.5-3 hr. The average relative error of analysis is 2-6%. Orig. art. has: 1 fig. and 2 tables.

SUB CODE: 07/ SUBM DATE: none/ ORIG REF: 005

DASNEVSKIY, Lev Naumovich, kand. tekhn. nauk; POGREBINSKIY,
Solomon Benjaminovich, inzh.; SHKABARA, Yekaterina
Aleksseyevna, kand. tekhn. nauk. **Prinimali uchastiye:**
LOSEV, V.D.; ABA'YSHNIKOVA, L.M.; ZORINA, Z.S.;
ORLOVA, I.A.; ZUBATENKO, A.Ya.; PAVLENKO, Yu.S., inzh.,
retsenzent; GLUSHKOV, V.M., akademik, red.

[The "Kiev" computer; its design and operation] Vychisli-
tel'naya mashina "Kiev". proektirovaniye i ekspluatatsiya.
Kiev, Tekhnika, 1964. 322 p. (MIRA 17411)

ZUBATENKO, A.Ya.

Testing system for an operational memory device. Autom. 1 prib.
no.4:40-41 O-D '63. (MIRA 16:12)

1. Institut kibernetiki AN UkrSSR.

KONDALEV, A.I. [Kondaliev, A.I.]; ZUBATENKO, A.Ya.

Experimental diode capacitor memory system. 2bir.
prats' z obchys. mat. i tekhn. 2:105-110 '61. (MIRA 15:2)
 (Electronic calculating machines)
 (Information storage and retrieval systems)

35211

S/696/61/002/000/009/009
D299/D302

9.7140 (also 1147, 1164, 2902)

AUTHORS: Kondalyev, A.I. and Zubatenko, A.Yu.
TITLE: Experimental diode-capacitor working memory (DCWM)
SOURCE: Akademiya nauk Ukrayins'koyi RSR. Obchyslyuval'nyy tsentr.
Zbirnyk prats' z obchyslyuval'noyi matematyky i tekhniky;
v. 2, 1961, 105-110

TEXT: A memory device incorporating linear capacitors and diodes, was tested as a modified version of the working memory of the computer "Kyyiv". The working memory has to meet the following requirements: 1) Storing capacity--1023 binary 41-digit numbers; 2) circulating frequency-- at least 100 kc; 3) the codes received by, and transmitted from, the working memory, are in the form of standard pulses (suitable for the computer). The autonomy principle, used in design of the computer Kyyiv, was also used in developing the control system of the DCWM. The connection is described between the DCWM and the other computer units. In order to test the operation of the diode-capacitor memory and to determine the characteristics of its control elements, an experimental model for 16

Card (1/3)

S/G96/61/002/000/009/009
D299/D302

Experimental diode capacitor ...

eight-digit numbers was constructed. The model incorporated the main DCWM control units, as planned for the computer Kyiv. The model had the following units: A (4-digit) address register, a (4-digit) address counter, a commutation unit, decoder, amplifier etc. The following problems could be investigated on the model: 1) the dependence of its operation on the diode characteristics; 2) the dependence of storing time on the parameters of the memory unit; 3) the effect of the displacement voltages and of the pulse amplitudes on its operation; 4) the dependence of the read-signal level on the parameters of the memory unit; 5) the influence of regeneration frequency on storing time; 6) the influence of temperature conditions on its operation. In selecting the diodes, 7 types were investigated. It was found that the diode Д15 (DIV) had the most convenient characteristics ($R_{\text{rev}}/R_{\text{dir}} = 28000$). The storing time depends not only on the reverse resistance R_{rev} , but also on the capacitance C . An increase in displacement voltage led to a decrease in storing time. The maximum storing capacity was found to be 128 or 256 codes, with the given diode type. A temperature increase to $+50^\circ\text{C}$, led to a lowering of

Experimental diode-capacitor ...

S/696/61/002/000/009/009
D299/D302

the signal level by 60-70%, hence to lower storing capacity. Further,
the various elements of the control unit of the DCWM are described.
There are 8 figures and 1 table.

X

Card 3/3

ZUBATKIN, G.Ye.

Improvement in local operations planning is one of the conditions
for shortening building time. Trudy MIEI no.15:449-453 '61.
(MIRA 14:12)

1. Glavnyy inzhener sektora Nauchno-issledovatel'skogo instituta
ekonomiki stroitel'stva Akademii stroitel'stva i arkhitektury SSSR.
(Construction industry)

SIMANOVSKIY, B.Ye.; ZUBATKIN, G.Ye.; GOL'DBERG, I.I.

Organizing production and operations planning at the construction
of an iron foundry. Prom. stroi. 40 no.8:10-13 Ag '63.
(MIRA 16:3)

(Iron founding)

"APPROVED FOR RELEASE: Thursday, September 26, 2002
APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R002065520010-0
CIA-RDP86-00513R002065520010-0"

CHUBATOV, I. S.

23382 Ulechsheniye Suchki Chern. Tolstol. Pion-St', 1949, No. 2, s. 26-36.

DO: LSPOLJ NO. 31, 1949

"APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065520010-0
ZUBATOV, V. S. (Odessa Technological Institute Lemons w)

"Thermodynamic analysis of circuits of closed type for power installations with the MGD-generators."

Report presented at the Section on Thermodynamics, Scientific Session, Council of Acad. Sci. Ukr SSR on High Temperature Physics, Kiev, 2-4 Apr 1963.

Reported in Teplofizika Vysokikh temperatur, No. 2, Sep-Oct 1963, p. 321, JPRS 24,651. 19 May 1964.

**THE 1990
DISCREDITED
STOCK MARKET
TRADING SYSTEM**

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065520010-0
APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065520010-0

ZUBATOVA, I.N.

Single firing of porcelain articles manufactured by hot die casting. Stek. 1 ker. 19 no.6:26-27 Je '62. (MIRA 15:7)
(Porcelain)

MITIN, N.G.; ZUBATOVA, I.N.; ROMANOVSKAYA, Z.Z.; KUDRINA, T.I.; VISHNEVSKIY,
D.I.

Manufacturing porcelain ware by the method of slip casting.
Stek. 1 ker. 17 no.9:38-41 S '60. (MIRA 13:9)
(Porcelain)

ZUBATOVA, I.N.; SEN', Z.P.; KUDRINA, T.I.

Using bentonites in the production of faience. Bent.gliny
Ukr. no.3:108-113 '59. (MIRA 12:12)

1. Nauchno-issledovatel'skaya laboratoriya Upravleniya farforya-
fayansovoy i stekol'noy promyshlennosti Kiyevskogo sovnarkhoza.
(Bentonite)

CHUMAK, I.G., inzh. tekhn. nauk; ZUBATYY, A.G., inzh.

Determining the shrinkage of meat during freezing. Khol. tekhn.
1 tekhn. no.1:116-123 '65. (MIRA 18:9)

JASIUKVICIUS, V.; JARULAITIS, V.; LAFYS, A.; SASNAUSKAS, K.;
ZUBAUSKAS, A.; VILPISAUSKAS, V., red.; KONTRIMAS, R.,
red.; CECYTE, V., tekh. red.

[Production of bricks, tiles, and drainpipes] Plytu cerpiu ir
dremu gamyba. [By] V.Jasiukovicus ir kiti. Vilnius, Valstybine
politines ir mokslines literatures leidykla, 1961. 258 p.
(Bricks) (Tiles) (Drain tiles) (MIRA 15:3)

IVANAUSKAS, T.; MUKASKA, J.; ZUBAVICIUS, T.

[Zuvintas Lake Preserve] Zuvintas. Vilnius, Valstybine po-
litines ir mokelines literaturos leidykla, 1961. 46 p.
(MIRA 16:3)

(Zuvintas, Lake--Birds)

34105. Ireni Vozhlyva. (K25 - letniy posk. avtoravoda iz. Stalina). Gruzak, 1949,
No. 45, s. 16

SO: Knizhuaya, Letopis', Vol. 7, 1955

ZUBAVIN, B.

Nesmolkaishchaia batarcia. Rasskazy
(Incessant battery; short stories). Moskva, Voennoe
izd-vo, 1954. 142 p.

SO: Monthly List of Russian Accessions, Vol. 7, No. 5, August 1954

BARER, A.S.; Primali uchastiye: GOLOV, G.A.; ZUBAVIN, V.B.; TIKHOMIROV, Ye.P.

Limit of human resistance to transverse acceleration and the
physiological reactions of the organism. Probl.kosm.izl.
2:255-272 '62. (MIRA 16:4)
(ACCELERATION—PHYSIOLOGICAL EFFECT)

PLATE I BOOK EXPLANATION

85/1000
 87/12-27

Abstracts book 8522. Institute mathematics	
Engineering abstracts, t. 27 (Engineering Collection, Vol. 27) Moscow, Izdat-vo AS SSSR, 1960. 210 p. 2,000 copies printed.	
Engineering Abstracts book 8522. Scientific techniques with book.	
85-22. A. A. Il'yashin Ed.: V. M. Alkhodov Ed. of Publishing Group: V.M. Alkhodov; Tech. Ed.: A.P. Ouzov.	
PURPOSE: This book is intended for engineers, applied physicists, and applied mathematicians.	
CONTENTS: The book consists of 28 articles on such problems as wing theory, aerodynamic flow, theory of stability, plasticity and elasticity, the bending of thin plates and shells, and various aspects of applied mathematics. No personalities are mentioned. References accompany most of the articles.	
Il'yashin, A.A. On the Problem of Displacement Gas by Water	54
Belov, V.V. Application of Statistical Methods for the Evaluation of the Strength of Structures Subjected to Stochastic Forces	56
Novik, A.A. The Behavior of Complex Rigid Values in the Problem of Nail Failure	70
Slobodkin, A.M. Stability of an Elastic Beam with Rigid Reactions in Aerodynamic Flow	77
Shubert, T.S. Vibrations of an Elastic String	81
Il'yashin, A.A. Elastoplastic Stability of Structures Containing Rod Elements	87
Provy, S.M. Stability of Circular Thin Plates Beyond the Elastic Limit	92
Kuchukhova, V.D. Stability of Structural Beams Beyond the Elastic Limit	101
Prokhor, I.B. On the Bending of a Closed Cylindrical Shell by a Concentrated Force	113
Shapoval, P.I. Shells in a Physical Medium Weakened by Elliptical and Circular Cracks	123
Epikhin, A.D. Determination of Stresses Caused by Pressing Several Circular Rods into a Plate with Parallel Interference	137
Epikhin, M. On the Physical Characterization of Bending Moments of Shells Subjected by a Rectangular Force	142
Pavlovskaya, G.I. Statistical Calculation of Internal Symmetrical Bending Stresses	171
Shapoval, A.S. Contact Method in the Coupling of a Cylindrical Shell of Open and Closed Profile	173
Epikhin, V.P. Symmetric Bending of Nonhomogeneous and Non-homogeneous Shells of Revolution Acting into Moment Load	185
Epikhin, M. Lower Limit of a Dynamically Medium Absorbable Load	200
Levit, D.Z. Homographic Solution of Equations of the Parabolic Fifth Degree	203
Prokhor, I.B. Application of the Method of Asymptotic Integration to the Solution of the Equation of the Natural Vibrations of Shells	207
REFERENCE: Library of Congress	

ZUBCHENKO, I.I., aspirant

Engagement of a chain, equidimensional by link pitch, with
chain-wheel teeth. Izv. vys. ucheb. zav.; Mashinostr.
no. 10:56-60 '65 (MIRA 12:1)

1. Submitted November 28, 1964.

Herbicides

Chemical method of controlling weeds. Sel. 1 ser 19, No. 8, 1952.

Monthly List of Russian Accessions, Library of Congress
October 1952. UNCLASSIFIED.

1. ZUBATOVA, D.M.

2. USER (600)

3. Weed control

4. Chemical weed control. Dost.sel'-khoz. No. 2, 1953.

9. Monthly List of Russian Accessions, Library of Congress, June 1953. Unclassified.

IVANAUSKAS, T.; ZUBAVICHUS, T. [Zubavicius, T.].

Reacclimatization of the mute swan in Lithuania [with summary
in English]. Biol.MOIP. Otd.biol. 61 no.5:5-8 S-O '56.

(MLBA 10:2)

(ZUVINTAS, LAKE--SWANS)

APPROVED FOR RELEASE: Thursday, September 26, 2002
APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R002065520010-0
CIA-RDP86-00513R002065520010-0

Zuvintas Preserve. Priroda 43 no.10:61-64 0 '54. (MLRA 7:10)
(Zuvintas preserve)

L 18079-63 EWT(1)/BDS/ES(a)/ES(s)/ES(c)/ES(k) AMD/ARFTC/ANMDC Pt-4
ACCESSION NR: AP3005652 A/DD 8/0219/63/055/007/0024/0029 65

AUTHOR: Barer, A. S.; Golev, G. A.; Zubavin, V. B.; Tikhomirov, Ye. P.

TITLE: Physiological body reactions of the human organism during action of maximal (in time and value) acceleration directed along the back-chest axis. Report 1: Tolerance limits and basic trend of physiological reactions

SOURCE: Byulleten' eksperimental'noy biologii i meditsiny*, v. 56, no. 7, 1963, 24-29

TOPIC TAGS: acceleration, physiological body reaction, maximum tolerance, cardiovascular system, respiratory system

ABSTRACT: To determine the maximum tolerances to accelerations acting along the back-chest axis at an angle of 65°, 45 men aged 24-34 in a series of 203 experiments were subjected to accelerations ranging from 4 to 15 g on a large centrifuge radius. The following were studied: cardiovascular system, external respiratory system, coordination of movements, bioelectric activity of the brain, bioelectric activity of skeletal muscles, and subjective sensations of the sub-Card 1/2

L 18079-63

ACCESSION NR: AP3005652

jects. Television and movies were used during the experiments. Reactions of the subjects to the mean acceleration values of 6-10 g can be divided into 4 stages. 1. Adaptation to external environment, characterized by significant increases in all systems and functions under study. 2. Resistance as the functional level of the systems decreases and the energetic level of response reactions becomes exhausted (gradual voltage decrease in the electromyograms and ECG and EEG shifts). 3. Adaptation collapse and functional discoordination. 4. Recovery, starting from the moment the centrifuge stops. For higher accelerations the highest functional levels of the systems are evoked and these in turn lead to exhaustion and the collapse of compensatory reactions. The limiting factors for high acceleration rates (12 to 15 g) are cardiovascular and external respiratory functional disturbances. The maximum tolerance for 6 g is 653 seconds, for 8 g 186 seconds, for 10 g 58 secs, for 12 g 28 secs, for 14 g 18 secs, and for 15 g 10 secs. Orig. art. has: 2 figures.

ASSOCIATION: none

SUBMITTED: 16Aug62

DATE ACQ: 21Aug63

ENCL: 00

Card 2/2 SUB CODE: AM

NO REF SOV: 004

OTHER: 005

BARER, A. "APPROVED FOR RELEASE: Thursday, September 26, 2002" CIA-RDP86-00513R002065520010-0
Ye. I.; TIKHOMIROV, Ye. F. "APPROVED FOR RELEASE: Thursday, September 26, 2002" ; CIA-RDP86-00513R002065520010-0 RODIN, S. A.; SOROKINA,

"Physiological reactions of the human organism to transverse accelerations and some means of raising the resistance to such probes."

report submitted to 15th Intl Astronautical Cong, Warsaw, 7-12 Sep 64.

"APPROVED FOR RELEASE: Thursday, September 26, 2002
APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R002065520010-0
CIA-RDP86-00513R002065520010-0"

TARER, A.T.; ZAKHVIN, V.B.

Nature of electroencephalogram and the work capacity of a man
under the influence of accelerations acting along the "longitudinal"
axis. Probl. Kosm. Biol. 7:37-43 1965. (Sov. 18:9)

SOURCE CODE: UR/0000/66/000/000/0211/0212

AUTHOR: Barer, A. S.; Golov, G. A.; Zubavin, V. B.; Serokina, Ye. I.;
Tikhomirov, Ye. P.

ORG: none

TITLE: Oxygen balance of an organism at prolonged accelerations

SOURCE: International Astronautical Congress. 17th, Madrid, 1966. Doklady.
no. 12. 1966. Kislorodnyy balans organizma pri dlitel'noyestvuyushchikh
uskoreniyakh

TOPIC TAGS: biologic acceleration effect, animal physiology, dog,
hypoxia, space physiology, human physiology

ABSTRACT:

The author reviewed the literature as well as experiments on humans (1500 tests using 120 subjects) and white rats (375 tests). He stated that changes in oxygen balance in humans are one of the main factors limiting prolonged G tolerance. This is primarily due to circulatory and respiratory functions which are directly affected by accelerations. The magnitude of these changes depends on the magnitude and duration of accelerations.

Card 1/4

Changes in external respiration including gas exchange during accelerations can be attributed to biomechanical difficulties and disrupted pulmonary circulation. Here, increased work by diaphragm muscles increases oxygen consumption. At high acceleration magnitudes (12 G and higher), this disruption of gas exchange renders the entire external respiratory process "unprofitable," or inefficient.

Up to 8-12 G, there is an increase in the activity of pulmonary ventilation reflected in accelerated respiration and an increase in per-minute volume. A further increase in acceleration magnitude leads first to relative and then to an absolute decrease in volumetric indices of external respiration. With an increase in acceleration, there is a steady 200 ml/G decrease. An increase in the per-minute respiratory volume in the 8-12 G range is associated with increased O_2 consumption and elevated CO_2 elimination. However, the relative efficiency of pulmonary ventilation decreases as acceleration magnitude increases. The percentage content of O_2 in respired air increases while CO_2 decreases. An analysis of the literature and data from the author's experiments indicate that the nature of qualitative changes in the gaseous composition of respired air is associated with an

increase in physiologically dead space due to changes in pulmonary circulation. Accelerations cause arterial hypoxemia, the severity of which depends on acceleration magnitude and duration. Beyond a dependence on acceleration magnitude, the level of hemoglobin decreases by 60—65%. The general oxygen requirement under these situations also does not depend on acceleration magnitude and is a constant value.

The circulatory system plays a leading role in supplying oxygen to the brain during acceleration. In experiments on human subjects, cerebral circulation and circulation in external vessels of the head were monitored. The force vector of acceleration plays an important part here, especially the longitudinal component. When the value of this component reaches 1.6—1.3 G, there is an increase in the pulsed pooling of cerebral vessels. At 3 G, a normal situation prevails while at 5 G, blood pooling decreases by a factor of two. EEG data was used as an index of the state of cerebral circulation.

In experiments with animals, general oxygen consumption, oxygen tension in tissues, and the tissue

oxidation reduction potential were studied. Here, it was established that during accelerations, there is a displacement of oxygen balance in various tissues with a tendency toward insufficient oxidation which depends on acceleration magnitude and duration as well as specific metabolic qualities of the tissues under study. For instance, the period necessary for the elimination of oxygen depth in the brain was 1.5--2.0 times shorter than for skeletal muscles.

In experiments where animals and humans were exposed to various atmospheric conditions during acceleration (normal, increased oxygen partial pressure, and decreased barometric pressure to 405 mm Hg), it was found that increased oxygen pressure improved resistance to prolonged accelerations. However, when general and cerebral hemodynamics were disrupted due to a high longitudinal acceleration component, this positive effect was eliminated by a disruption of gas exchange. Increased oxygen partial pressure (100 mm H₂O) increased human tolerance of 12 G by 35--40 sec. [ATD PRESS: 5098-F]

SUB CODE: 06 / SUBM DATE: none

"APPROVED FOR RELEASE: Thursday, September 26, 2002
APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R002065520010-0
CIA-RDP86-00513R002065520010-0"

"The following information is being released to the public for informational purposes only. It is not to be used for any other purpose, and it is not to be disseminated outside the government."

ZUBCENKO

"Physical and Chemical Composition of Water in Rakovnický Creek" p. 334 (VODA, Vol. 33, No. 12, December 1953, Praha, Czechoslovakia).

SO: Monthly List of East European Accessions, LC, Vol. 3, No. 5, May 1954, Unclassified

CZECHOSLOVAKIA/Chemical Technology. Chemical Products and
Their Application - Corrosion. Protection From Corrosion. H-4
Abs Jour: Referat Zhur-Khimiya, No 5, 1958, 14873.

Author : Zubcenko D.

Inst :

Title : Specific Form of Corrosion of the Pipes of the Water Supply
System of the Town of Rožnov Near Radhošt.

Orig Pub: Voda, 1956, 35, No 9, 265-269.

Abstract: As a result of investigations of the sources of potable water,
nature of incrustations and of the material of the water pipes,
the causes of corrosion and means of preventing the latter have
been determined. Steel pipes are less subject to corrosion
than cast iron pipes and the latter must contain small amounts
of Ni, Cu or Cr in order obviate possible graphitisation of the
iron. Reduction in size of iron and graphite particles has

Card : 1/2

CZECHOSLOVAKIA/Chemical Technology - Chemical Products and
Their Application - Water Treatment. Sewage Water.

H-5

Abs Jour : Ref Zhur - Khimiya, No 3, 1958, 8457

Author : Zubeenko D.

Inst : -

Title : Use of Activated Silica as an Auxiliary Agent in Coagulation.

Orig Pub : Voda, 1957, 36, No 5, 132-134

Abstract : A review.

ZUBCENKO, D.

Valley reservoirs in river basins containing pent.

p. 38
Vol. 5, no. 1/2, Mar. 1955
VOZNI HOSPODARSTVI
Praha

SO: Monthly List of East European Accessions (EFAL), LC, Vol. 5, no. 3
March 1956

Chemical changes in the water of the dam on the Lyja River at Vranov,
p. 51. VODNI HOSPODARSTVO. (Ustredni sprava vodneho hospodarstva)
Bratislava, no. 2, Feb. 1956.

901.34: East European Accessions List, Vol. 5, no. 5, September 1956

ZUBERSKY, B.

Activated silica as an auxiliary coagulation agent. p.132.
(Voda, Vol. 36, No. 5, May 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAL) IC. Vol. 6, No. 9, Sept. 1957. Uncl.

ZUECENKO, D.

Rain water. p. 59.

VCDA Vol. 35, no. 2, Feb. 1956

Czechoslovakia

Source: EAST EUROPEAN LISTS Vol. 5, no. 7 July 1956

Special case of the correction of the water main in Tazov and Leningrad.

p. 365

VODA (Ustrojeni upr va vodniba h podarstvi)
Vol. 35, No. 2, Sept. 1956

Praha, Czechoslovakia

ENCL: East European List (EAL) Library of
Congress, Vol. 6, No. 1, January 1957

ZUBCENKO, Daniel, inz.

Clogging of steam piping by salts. Energetika Gz 11 no.11:554 N '61.

(Steam pipes)

ZUBCENKO, Daniel, ing.

Corrosion of water pipes and hot water pipes. Energetika Cz 11 no.5:
231-234 My '61.

ZUECHANN, M. V.

"The Scattering of Potassium Ions on the Surface of Tantalum," Zhur. Eksper. i
Teoret. Fiz., 12, No. 9, 1942. Mbr., Physics Inst., Leningrad Order Lenin State
Univ., -1941-. im. Budnov.

1. ZUECHANINOV, N. V.

2. USSR (600)

4. Machine Tools

7. Universal support. Stan. i instr. 24, No. 2, 1953.

9. Monthly List of Russian Accessions, Library of Congress, May 1953. Unclassified.

1. ZUBCHANINOV, N. V.
2. USSR (600)
4. Lathes
7. Universal support. Stan. 1 instr. 24, No. 2, 1953.

9. Monthly List of Russian Accessions. Library of Congress, May 1953. Unclassified.

ZUBCHANINOV, V.G. (Moskva)

Stability of rods as structural elements beyond the elastic
limit. Inzh.sbor. 27:101-113 '60. (MIRA 13:6)
(Elastic rods and wires)

ZUBCHANINOV, V.G. (Moskva)

Stability of rods beyond the elastic limit in some structures. Inzh.
ster 28:204-211 '60. (MIRA 13:10)
(Elastic rods and wires)

31079
S/179/61/000/005/018/022
E081/E477

10.7200

AUTHOR: Zubchaninov, V.G. (Kalinin)
TITLE: Axially symmetric form of the loss of stability of a
round cylindrical casing beyond the elastic limit
PERIODICAL: Akademiya nauk SSSR. Izvestiya. Otdeleniye
tekhnicheskikh nauk. Mekhanika i mashinostroyeniye.
v.5, 1961, 131-132

TEXT: The paper covers the stability of a round cylindrical casing, of radius R , length l and wall thickness h , which is subjected to an even axial pressure beyond the elastic limit by the force P . It is assumed that on loss of stability, the area of elastoplastic deformation extends over the whole casing and that plastic deformation is small. Using the variational equation developed by L.A.Tolokonnikov (Ref.1: Rostovsk.-na-Donu gos. un-ta, 1955, v.XXXII, no.4) and using an approximate expression for potential internal forces and moments, an equation for the stability of the casing is found by normal means and is solved for casings with freely supported and with fixed ends. Numerical results are given for a cylinder in which $R/h = 50$, which is constructed

Card 1/2

31079

S/179/61/000/005/018/022
E081/E477

Axially symmetric form ...

from a material having linear hardening properties. The relationship between PR/h and l/R is shown graphically and it is also shown that for both fixed and freely supported specimens, the effect of length on the critical load decreases rapidly as l/R increases up to $l/R \approx 1$. Above this value the effect of cylinder length is small, and where the length is greater than the radius, it may be regarded as being of infinite length; a formula for determining the critical loading under these conditions is given. There are 1 figure and 3 Soviet-bloc references.

SUBMITTED: February 26, 1959

ZUBCHANINOV, V.G. (Kalinin)

Elastoplastic stability of rods. Inzh.zhurn. 1 no.3:139-145 '61.
(MIRA 15:2)
(Elastic rods and wires)

ZUBCHANINOV, V.G. (Kalinin)

Elastoplastic stability of plates. Inzh.zhur. 5 no.2:299-305 '65.
(MIR: 1854)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065520010-0
APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065520010-0

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065520010-0
APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065520010-0

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065520010-0
APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065520010-0

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065520010-0
APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065520010-0

ZUBCHANINOV, V.G. (Kalinin)

Elastoplastic stability of rods. Inzh. zhur. 5 no. 51983-991 '65.
(MIRA 18:10)